



Psychological Well-being of Polish Migrants in Ireland

Journal:	<i>The Irish Journal of Psychology</i>
Manuscript ID	RIRI-2015-0019.R1
Manuscript Type:	Original Article
Keywords:	Polish Migrants , Mental Health , Depression , Ethnicity, Stress

SCHOLARONE™
Manuscripts

view Only

Abstract

Eleven years post EU enlargement, there are approximately 150,000 Polish nationals living in Ireland. The main aim of the study was to estimate levels of depression, anxiety, and stress through comparisons with normative data drawn from clinical and non-clinical samples. An opportunity sample of 354 Polish migrant participants completed the Depression, Anxiety, and Stress Scale (DASS-21; Lovibond & Lovibond, 1995) accompanied with demographic information. The results indicated that the majority of the participants are employed, well educated, and reported good psychological status. However, it is possible that a minority of the participants are struggling with severe levels of anxiety and depression. The results contribute to the existing literature on Polish migration and suggest that the migrants' psychological status is relatively positive.

Keywords: Polish Migrants / Mental Health / Ethnicity / Depression / Stress

Introduction

According to Bhugra and Johns (2001) migration occurs when a person moves from one location to another either temporarily or permanently and this transition is accompanied with social and cultural changes. People are migrating individually and collectively, voluntarily and involuntarily and for the variety of reasons (Bhugra, 2004). Migration may be an internal (e.g. internally displaced persons, rural/urban and project induced migration) or an external (e.g. asylum seekers, refugees, economic migrants) process. Furthermore, a combination of 'push' (e.g. high unemployment, lack of perspectives at home) and 'pull' (e.g. labour demand, expanding economy in considered destinations) factors is often involved in an individual's decision to migrate (Bhugra, 2004).

On 1st of May, 2004, Poland and 9 other countries joined the European Union and as a consequence Polish citizens were granted free access to the European labour market. This observation is especially important in the UK and Irish context, as those two countries (and Sweden) opened their borders for new members of the EU without imposing time restrictions regarding the access. According to the Central Statistics Office (CSO, 2012) there were 2,124 Polish immigrants in the Republic of Ireland in 2002 (pre EU enlargement). Four years later the Polish diaspora reached 63,276 people, and this figure was doubled by 2011 with 122,585 Polish nationals living in the Republic. Polish citizens aged 19 and younger constituted 21.2% (increased from 9.9% in 2006) and Poles aged 20 to 34 constituted 56.7% (decreased from 72.4% in 2006) of the overall Polish diaspora in the Republic of Ireland in 2011 (CSO, 2012). Polish migration in Northern Ireland was estimated at 30,000 according to Polish Association in Northern Ireland (Kempny, 2013).

The reasons for Polish migration were primarily economic. The EU-enlargement in 2004 coincided with a dramatic increase of unemployment in Poland due to a fact that a 'baby-

1
2
3 boom' generation (people born in early 1980's) started to enter Polish labour market (GUS,
4
5 2007). The unemployment rates reached 20% in 2003 when compared with 5% in the UK at
6
7 the same time (Drinkwater, Eade, & Garapich, 2009). Young Poles who lacked opportunities
8
9 for jobs and self-development at home and had family and friends in the UK, felt they were
10
11 'obliged' to leave (White, 2010). Opportunities to improve language skills, change of a
12
13 lifestyle, and progression of personal and professional experience were named as other
14
15 reasons to migrate from Poland (Burrell, 2010).
16
17

18
19 Post EU-enlargement evidence on Polish migrants' psychological condition in the UK or
20
21 Ireland is limited. Smoleń (2013) found that among 286 Polish adult immigrants to the UK,
22
23 36% reported permanent stress. Additionally, the author stated that 5.6% of the participants
24
25 experienced high levels of stress. Similar results were obtained by Kozłowska, Sallah, and
26
27 Galasiński (2008). The authors found that among 144 participants recruited in West Midlands
28
29 (UK), 48.6% of the sample reported stress above the threshold level. However, there is no
30
31 conclusive evidence regarding differences between migrant and non-migrant population in
32
33 rates of depression and anxiety. For example, as determined by Nazroo (1997) the weekly
34
35 prevalence of anxiety for the UK population (12% males and 23% females) was lower when
36
37 compared with Irish migrants (23% males and 32% females). To conclude, it could be
38
39 suggested that there is no unequivocal evidence on substantially increased rates of mood
40
41 disorders among migrants. This was supported by Swinnen and Selten (2007) who determined
42
43 that the mean relative risk for any mood disorder among migrants was modestly increased
44
45 when compared to non-migrants (RR = 1.38).
46
47
48
49

50
51 It is proposed that there is a need to assess the psychological status of Polish migrants using
52
53 validated, psychometrically sound instruments. One such instrument is the Depression
54
55 Anxiety Stress Scale (DASS-21, Lovibond & Lovibond, 1995). The DASS has been widely
56
57
58
59
60

used in a range of clinical and non-clinical samples in a large number of English speaking countries (Tran, Tran, & Fisher, 2013).

Table 1 presents some normative data from non-clinical, clinical, and Polish samples. As shown in Table 1, the DASS-21 mean scores of the normative data were characterised with depression levels being higher than anxiety, and lower than stress. For the clinical data, mean scores for anxiety were lower when compared with depression and stress and depending on the study, either depression or stress reached the highest mean score. The study with a Polish clinical sample was characterised with anxiety mean score being higher than depression, and lower than stress.

Table 1 here

The main aim of the study is to estimate depression, anxiety, and stress levels among a sample of Polish migrants. This will be achieved by (a) analysing DASS-21 scores using the sample, and by (b) comparing the scores with normative data drawn from non-clinical, clinical, and clinical Polish samples.

Methods

Participants and Procedure

Polish migrants in Ireland constituted a study sample. The sample comprised of 354 participants, 145 males (mean age = 36.17 years, SD = 8.99), and 201 females (mean age = 35.23 years, SD = 10.06). The age ranged from 18 to 82, with a mean of 35.60 (SD = 9.60) and there was no significant difference between men and women ($t = 0.89$, $df = 344$, $p > .05$).

There were more women than men (57.9%) in the sample. The majority of the sample (76.3%, $n = 258$) reported being either married or cohabiting.

1
2
3 After the approval from the Psychology Filter Ethics Committee had been granted, the data
4 collection commenced in May, 2014. A variety of locations (in the Republic of Ireland and
5 Northern Ireland) were used to contact potential participants. Initially, Polish shop owners,
6 Polish priests and other officials were asked to assist in distributing questionnaires in their
7 places of work. Subsequently, Polish local shops, Polish Sunday masses, the Polish School in
8 Letterkenny, friends, and acquaintances were visited in order to recruit the participants.
9
10 Additionally, some Irish institutions, for example a job recruitment agency and a hotel with a
11 substantial proportion of Polish workforce were contacted to collect the data. All supervisors,
12 executives and owners (Polish and Irish) responded positively to the research appeals to
13 contact potential participants.
14
15

16
17 The participants were asked to complete the questionnaires in their own time, at home, and
18 then return them to the shops or the institutions they were approached. It was explicitly stated
19 in the information sheet, that the measures used in the study were not of a diagnostic nature.
20
21 In the consent form it was specified that the survey was anonymous and that the participants
22 were free to withdraw from the project at any stage without giving reasons. The participants
23 were also informed that the data provided would be treated as confidential and would be
24 stored securely. The survey format used for the study included a number of self-reported
25 measures. The overall response rate was approximately 35%. The data collection lasted for 6
26 months.
27
28

29 **Materials**

30
31 *Demographic variables* used in the study were: age, gender, marital status, educational
32 qualifications, employment status, type of employment, and duration of residence in a host
33 country.
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

The Depression Anxiety Stress Scales (DASS-21) is a 21-item self-report questionnaire designed to measure the severity of the main characteristics of depression, anxiety, and stress and designed as a tripartite model. The DASS-21 comprises of three 7-item self-report subscales adapted from the 42-item DASS (Lovibond & Lovibond, 1995). Example items include Depression (“I felt that I had nothing to look forward to”), Anxiety (“I was worried about situations in which I might panic and make a fool of myself”), and Stress (“I was intolerant of anything that kept me from getting on with what I was doing”) constituting the subscales. The 4-category answer format was used: “Never (1)”; “Sometimes (2)”; “Often (3)”; “Almost always (4)”. Possible subscale scores ranged from 1 to 21, with higher values indicating increased levels of depression, anxiety, and stress.

The psychometric properties of the DASS-21 scores have been widely documented in the research literature. Lovibond and Lovibond (1995), Antony, Beiling, Cox, Enns, and Swinson (1998) and Clara, Cox, and Enns (2001) showed that the measure is characterized with very good to excellent internal consistency scores. Cronbach’s alphas ranged from .81 to .94 for Depression subscale, .73 to .87 for Anxiety subscale, and .81 to .91 for Stress subscale. According to Gomez, Summers, Summers, Wolf, and Summers (2014) the DASS-21 is characterized with measurement and structural invariance for males and females. Consequently, similar scores for the subscales indicate same levels of depression, anxiety, and stress allowing comparison between two sexes (Gomez et al. 2014). Moreover, Henry and Crawford (2005) suggested that the DASS-21 has the advantages over its full-length version as it is less time consuming, its structure is clearer, while maintaining satisfactory reliability. Finally, Bados, Solanas, and Andres (2005) stated the DASS-21 showed good convergent validity while being tested against Beck Depression Inventory (Beck, Steer, & Carbin, 1988) and Beck Anxiety Inventory (Beck & Steer, 1990) with r of .80 and .77 respectively.

Results

As shown in Table 2, a substantial majority (91.6%) of the participants were in higher or middle range of educational qualifications and a similar pattern was observed for types of the employment. Approximately 70% of the participants declared to be employed and more than a half of them stayed in Ireland between 5 to 9 years.

Table 2 here

As shown in Table 3, a majority of the participants were characterised with normal or mild levels of depression (69.4%), anxiety (67.4%), and stress (91.2%). A relatively substantial proportion of the participants indicated severe or extremely severe levels of anxiety (13.7%), followed by depression (7.1%) and stress (2.3%).

Table 3 here

Discussion

The primary aim of the study was to estimate depression, anxiety, and stress levels among Polish migrants in Ireland. It was achieved by the analysis of the sample data and the comparisons with past evidence based on normative non-clinical and clinical samples. Mean scores for depression, anxiety, and stress were higher when compared with studies using non-clinical samples and substantially lower when compared with clinical samples. The study findings correspond with meta-analysis results presented by Swinnen and Selten (2007) who concluded that there is no unequivocal evidence for the increase of mood disorders due to migration.

However, the relatively positive psychological well-being of the participants could be questioned after the analysis of the depression, anxiety, and stress severity thresholds. A relatively substantial proportion of the participants reported severe or extremely severe

1
2
3 anxiety levels (13.7%) followed by depression (7.1%), and stress (2.3%). Although the
4
5 DASS-21 is not a diagnostic instrument (Lovibond & Lovibond, 1995) it may be helpful in
6
7 identifying problematic psychological outcomes. Consequently, it is possible that despite the
8
9 relatively positive psychological condition of the majority of the participants, there is a group
10
11 which requires attention of psychological services. Finally, relatively low levels of severe and
12
13 extremely severe stress level do not correspond with the studies' results by Smoleń (2013)
14
15 and Kozłowska, Sallah, and Galasiński (2008). It could be suggested that the estimates
16
17 obtained in this study are more robust when compared with the results presented by Smoleń
18
19 (2013) and Kozłowska, Sallah, and Galasiński (2008) as they are based on a larger sample
20
21 size and a psychometrically sound instrument.
22
23

24
25 The results obtained in the study should be interpreted with caution due to some
26
27 methodological limitations. Firstly, the study sample may not be fully representative when
28
29 compared with general populations of Polish migrants in Ireland. This limitation was partly
30
31 compensated as the migrants were recruited in numerous locations in Ireland and Northern
32
33 Ireland to ensure the geographical diversity. Secondly, notwithstanding a relatively positive
34
35 psychological condition of Polish migrants in Ireland, it is possible that there is a 'hidden'
36
37 pool of those who are psychologically struggling. This group might have been
38
39 underrepresented in the project. Despite these limitations, the study brings a valuable insight
40
41 into psychological status of Polish migrants in Ireland.
42
43
44

45
46 In summary, the majority of the study participants could be characterised as well educated,
47
48 employed, and psychologically healthy. This may be largely due to a fact that Polish
49
50 migration is not forced, it is economically driven, and it occurs within a larger, politically
51
52 uniform block of the EU (Johns, 2013). The findings of this study suggest that certain types of
53
54 migration are not necessarily harmful for psychological health. However, it is important to
55
56 notice the existence of a minority group possibly struggling with anxiety and depression.
57
58
59
60

References

- Antony, M. M., Beiling, P. J., Cox, B. J., Enns, M. W., & Swinson, R. P. (1998). Psychometric properties of the 42-item and 21-item versions of the Depression Anxiety Stress Scales in clinical groups and a community sample. *Psychological Assessment, 10*, 176-181.
- Bados, A., Solanas, A., & Andrés, R. (2005). Psychometric properties of the Spanish version of Depression, Anxiety and Stress Scales (DASS). *Psicothema, 17*, 679-683.
- Beck, A. T., Steer, R. A., & Carbin, M. G. (1988). Psychometric properties of the Beck Depression Inventory: Twenty-five years of evaluation. *Clinical Psychology Review, 8*, 77-100.
- Beck, A. T., & Steer, R. A. (1990). *BAI, Beck anxiety inventory*. Psychological Corporation.
- Bhugra, D., & Jones, P. (2001). Migration and mental illness. *Advances in Psychiatric Treatment, 7*, 216-222.
- Bhugra, D. (2004). Migration and mental health. *Acta Psychiatrica Scandinavica, 109*, 243-258.
- Burrell, K. (2010). Staying, returning, working and living: Key themes in current academic research undertaken in the UK on migration movements from Eastern Europe. *Social Identities, 16*, 297-308.
- Central Statistics Office of Ireland (2012). *Profile 6. Migration and diversity*. Dublin: The Stationery Office.

1
2
3 Clara, I. P., Cox, B. J., & Enns, M. W. (2001). Confirmatory factor analysis of the depression
4
5 anxiety stress scales in depressed and anxious patients. *Journal of Psychopathology*
6
7
8
9 and *Behavioural Assessment*, 23, 61-67.

10
11 Drinkwater, S., Eade, J., & Garapich, M. (2009). Poles apart? EU enlargement and the labour
12
13 market outcomes of immigrants in the United Kingdom. *International Migration*, 47,
14
15
16
17
18
19 161-190.

20
21 Gomez, R., Summers, M., Summers, A., Wolf, A., & Summers, J. (2014). Depression
22
23 Anxiety Stress Scales-21: Measurement and structural invariance across ratings of
24
25
26
27 men and women. *Assessment*, 21, 418-426.

28
29 GUS (2007). *Stopa bezrobocia*. Główny Urząd Statystyczny (Central Statistical Office),
30
31
32
33 Warszawa.

34
35 Henry, J. D., & Crawford, J. R. (2005). The short-form version of the Depression Anxiety
36
37
38
39
40
41
42 Stress Scales (DASS-21): Construct validity and normative data in a large non-clinical
43
44
45
46
47
48 sample. *British Journal of Clinical Psychology*, 44, 227-239.

49
50 Johns, M. (2013). Post-Accession Polish migrants in Britain and Ireland: Challenges and
51
52
53
54
55
56
57 obstacles to integration in the European Union. *European Journal of Migration and*
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

Kozłowska, O., Sallah, D., & Galasiński, D. (2008). Migration, stress and mental health: An

- 1
2
3 exploratory study of post-accession Polish immigrants to the United Kingdom.
4
5
6 *University of Wolverhampton, UK.*
7
8
9 Lovibond, S. H., & Lovibond, P. E. (1995). *Manual for the Depression Anxiety Stress Scales.*
10
11 Sydney: Psychology Foundation.
12
13
14 Nazroo, J. Y. (1997). *Ethnicity and mental health: Findings from a national community*
15
16 *survey.* London: PSI.
17
18
19
20 Smoleń, A. L. (2013, September). *Migration related stress and risk of suicidal behaviour*
21
22 *among “new” Polish immigrants in the United Kingdom.* Paper presented at the
23
24 conference: Młoda polska emigracja w UE jako przedmiot badań psychologicznych,
25
26 socjologicznych i kulturowych EuroEmigranci.pl, Kraków, PL.
27
28
29
30
31 Swinnen, S. G. H. A. & Selten, J. P. (2007). Mood disorders and migration. *British Journal*
32
33 *of Psychiatry, 190,* 6-10.
34
35
36
37 Tran, T. D., Tran, T., & Fisher, J. (2013). Validation of the Depression Anxiety Stress Scales
38
39 (DASS-21) as a screening instrument for depression and anxiety in a rural community-
40
41 based cohort of northern Vietnamese women. *BMC Psychiatry, 13,* 24-30.
42
43
44
45
46 White, A. (2010). Young people and migration from contemporary Poland. *Journal of Youth*
47
48 *Studies, 13,* 565-580.
49
50
51
52
53
54
55
56
57
58
59
60

Table 1. Means and Standard Deviations of DASS-21 subscales' Scores for General, Clinical, and Polish Clinical Populations.

Authors	Sample (N)	Range	Depression M (SD)	Anxiety M (SD)	Stress M (SD)
<i>Normative data</i>					
Henry & Crawford (2005)	1794 UK adults	0-21	2.83 (3.87)	1.88 (2.95)	4.73 (4.20)
Sinclair et al. (2012)	499 US adults	0-21	2.85 (4.10)	1.99 (3.13)	4.06 (3.81)
Crawford et al. (2011)	497 Australian adults	0-21	2.57 (3.86)	1.74 (2.78)	3.99 (4.24)
<i>Clinical data</i>					
Page et al. (2007)	124 patients with depression	0-21	Pre 12.07 (5.98)	8.92 (5.00)	11.53 (5.57)
		0-21	Post 7.72 (6.18)	6.25 (5.66)	8.14 (6.25)
Bados et al. (2005)	59 outpatients with anxiety or depression	0-21	8.80 (5.59)	7.28 (4.32)	11.12 (4.87)
Antony et al. (1998)	46 outpatients with depression	0-21	14.98 (4.59)	7.02 (4.89)	12.15 (4.92)
<i>Polish</i>					
Lewicka et al. (2013)	305 women with pregnancy pathology	0-21	3.31*	4.27*	6.07*

Note: Pre = scores at admission; Post = scores at discharge. * = no standard deviations reported

Table 2. Demographic Characteristics of the Polish Sample.

Variable	N	%
<i>Educational qualifications</i>		
Higher (degree, NHD, nursing)	134	38.8
Middle (A level, GCSE or equivalent)	182	52.8
Foreign/other	13	3.8
No qualifications	16	4.6
<i>Employment (employed)</i>		
	244	69.1
<i>Employment type</i>		
Higher (professional, managerial, technical)	14	5.9
Middle (skilled manual, skilled non-manual)	138	58.5
Low (partly skilled, unskilled)	82	34.7
Armed forces	2	0.8
<i>Years in host country</i>		
0 to 4 years	59	17.6
5 to 9 years	186	55.5
10 to 13 years	90	26.9

Table 3. Means, Standard Deviations, and Severity Thresholds of DASS-21 Subscales'

Scores.

	Mean (SD)	Normal	Mild	Moderate	Severe	Extremely Severe
Depression	4.96 (3.46)	48.0%	21.4%	23.5%	5.1%	2.0%
Anxiety	4.39 (3.18)	44.3%	23.1%	18.9%	8.0%	5.7%
Stress	5.74 (2.89)	77.2%	14.0%	6.5%	1.7%	0.6%
Average		56.5%	19.5%	16.3%	4.9%	2.76%